

# Acoustic Verification Test Results – Operable Walls



Manufacturer <i>(click for acoustic rating details)</i>	FIS Verification Ref	Manufacturer Test Ref	Wall Type <i>(click for definition)</i>	Solid or Glazed	Operating Mode <i>(click for definition)</i>	Range
<a href="#">Accordial Ltd</a>	FIS-40-A-A	H18866AA	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	Up to R <sub>w</sub> 40dB
<a href="#">Hufcor UK</a>	FIS-40-H-A	P-BA 18/2004	Operable Wall	Solid	<a href="#">Full manual</a>	Up to R <sub>w</sub> 40dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-40-S-A	P800985-B	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	Up to R <sub>w</sub> 40dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-40-S-B	P-BA 35/2010	Operable Wall	Solid	<a href="#">Full manual</a>	Up to R <sub>w</sub> 40dB
<a href="#">Accordial Ltd</a>	FIS-4145-A-A	18-52	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Accordial Ltd</a>	FIS-4145-A-B	H18871AA	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Accordial Ltd</a>	FIS-4145-A-C	H18863AA	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Hufcor UK</a>	FIS-4145-H-A	P 4.2/09-170-1	Operable Wall	Glazed	<a href="#">Semi-automatic</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Hufcor UK</a>	FIS-4145-H-B	P-BA 20/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4145-S-A	P801701-A	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4145-S-B	P-BA 72/2008	Operable Wall	Glazed	<a href="#">Semi-automatic</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4145-S-C	P800985-D	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4145-S-D	P-BA 120/2007	Operable Wall	Solid	<a href="#">Semi-automatic</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4145-S-E	P-BA145/2016	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Acoustic Wall System Ltd</a>	FIS-4145-AW-B	ACL387/19	Operable wall	Glazed	<a href="#">Full manual</a>	R <sub>w</sub> 41dB to R <sub>w</sub> 45dB
<a href="#">Accordial Ltd</a>	FIS-4650-A-A	18-53	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Accordial Ltd</a>	FIS-4650-A-B	18-55	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Hufcor UK</a>	FIS-4650-H-A	P-BA 22/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Hufcor UK</a>	FIS-4650-H-B	P-BA 21/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-A	P801701-B	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB

Manufacturer <i>(click for acoustic rating details)</i>	FIS Verification Ref	Manufacturer Test Ref	Wall Type <i>(click for definition)</i>	Solid or Glazed	Operating Mode <i>(click for definition)</i>	Range
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-B	P401790	Sliding Folding Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-C	P-BA 73/2008	Operable Wall	Glazed	<a href="#">Semi-automatic</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-D	B3484.4	Vertically Rising	Solid/perforated	<a href="#">Fully automatic</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-E	B3504. Phase2.2	Vertically Rising	Solid	<a href="#">Fully automatic</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-F	P-BA 121/2007	Operable Wall	Solid	<a href="#">Semi-automatic</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-4650-S-G	P-BA 146/2016	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 46dB to R <sub>w</sub> 50dB
<a href="#">Accordial Ltd</a>	FIS-5155-A-A	BTC 17619A	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Accordial Ltd</a>	FIS-5155-A-B	BTC 18280LC	Operable Wall	Solid	<a href="#">Semi-automatic</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Accordial Ltd</a>	FIS-5155-A-C	H18870AA	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Hufcor UK</a>	FIS-5155-H-A	P-BA 26/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Hufcor UK</a>	FIS-5155-H-A	P-BA 24/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-A	RAL-TL01-280a	Vertically Rising	Solid	<a href="#">Fully automatic</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-B	P-BA 136/2007	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-C	B3484.14	Vertically Rising	Solid	<a href="#">Fully automatic</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-D	P-BA 122/2007	Operable Wall	Solid	<a href="#">Semi-automatic</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-E	P-BA 147/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5155-S-F	P-BA 147/2016	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 51dB to R <sub>w</sub> 55dB

Manufacturer <i>(click for acoustic rating details)</i>	FIS Verification Ref	Manufacturer Test Ref	Wall Type <i>(click for definition)</i>	Solid or Glazed	Operating Mode <i>(click for definition)</i>	Range
<a href="#">Accordial Ltd</a>	FIS-5660-A-A	BTC 17620A	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Accordial Ltd</a>	FIS-5660-A-B	BTC 18281LC	Operable Wall	Solid	<a href="#">Semi-automatic</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Accordial Ltd</a>	FIS-5660-A-C	BTC 181 39A	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Hufcor UK</a>	FIS-5660-H-A	PB 4.2/06-12	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-A	P-BA 132/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-B	P-BA 129/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-C	B3504. Phase3.2	Vertically Rising	Solid	<a href="#">Fully automatic</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-D	P-BA 136/2004	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-E	P-BA 148/2016	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB
<a href="#">Style – Moveable Partition Specialists</a>	FIS-5660-S-F	P-BA 149/2016	Operable Wall	Solid	<a href="#">Full manual</a>	R <sub>w</sub> 56dB to R <sub>w</sub> 60dB