

FIS has teamed up with Cundall Acoustics to develop an acoustic test certificate verification scheme.

Manufacturer (click for acoustic rating details)	FIS Verification Ref	Manufacturer Test Ref	Wall Type (click for definition)	Solid or Glazed	Operating Mode (click for definition)	Range
Accordial Ltd	FIS-40-A-A	H18866AA	Sliding Folding Wall	Solid	Full manual	Up to R _w 40 dB
Hufcor UK	FIS-40-H-A	P-BA 18/2004	Operable Wall	Solid	Full manual	Up to R _w 40dB
Style Door Systems	FIS-40-S-A	P800985-B	Sliding Folding Wall	Solid	Full manual	Up to R _w 40dB
Style Door Systems	FIS-40-S-B	P-BA 35/2010	Operable Wall	Solid	Full manual	Up to R _w 40dB
Accordial Ltd	FIS-4145-A-A	18-52	Operable Wall	Solid	Full manual	R _w 41 dB to R _w 45 dB
Accordial Ltd	FIS-4145-A-B	H18871AA	Sliding Folding Wall	Solid	Full manual	R _w 41 dB to R _w 45 dB
Accordial Ltd	FIS-4145-A-C	H18863AA	Sliding Folding Wall	Solid	Full manual	R _w 41 dB to R _w 45 dB
Hufcor UK	FIS-4145-H-A	P 4.2/09-170-1	Operable Wall	Glazed	Semi-automatic	R _w 41dB to R _w 45dB
Hufcor UK	FIS-4145-H-B	P-BA 20/2004	Operable Wall	Solid	Full manual	R _w 41dB to R _w 45dB
Style Door Systems	FIS-4145-S-A	P801701-A	Sliding Folding Wall	Solid	Full manual	R _w 41dB to R _w 45dB
Style Door Systems	FIS-4145-S-B	P-BA 72/2008	Operable Wall	Glazed	Semi-automatic	R _w 41dB to R _w 45dB
Style Door Systems	FIS-4145-S-C	P800985-D	Sliding Folding Wall	Solid	Full manual	R _w 41dB to R _w 45dB
Style Door Systems	FIS-4145-S-D	P-BA 120/2007	Operable Wall	Solid	Semi-automatic	R _w 41dB to R _w 45dB
Style Door Systems	FIS-4145-S-E	P-BA145/2016	Operable Wall	Solid	Full manual	R _w 41dB to R _w 45dB
Acoustic Wall System Ltd	FIS-4145-AW-A	ACL227/17	Operable wall	Glazed	Semi-automatic	R _w 41dB to R _w 45dB
Acoustic Wall System Ltd	FIS-4145-AW-B	ACL387/19	Operable wall	Glazed	Full manual	R _w 41dB to R _w 45dB

Accordial Ltd	FIS-4650-A-A	18-53	Operable Wall	Solid	Full manual	R _w 46 dB to R _w 50 dB
Accordial Ltd	FIS-4650-A-B	18-55	Operable Wall	Solid	Full manual	R _w 46 dB to R _w 50 dB
Hufcor UK	FIS-4650-H-A	P-BA 22/2004	Operable Wall	Solid	Full manual	R _w 46dB to R _w 50dB
Hufcor UK	FIS-4650-H-B	P-BA 21/2004	Operable Wall	Solid	Full manual	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-A	P801701-B	Sliding Folding Wall	Solid	Full manual	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-B	P401790	Sliding Folding Wall	Solid	Full manual	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-C	P-BA 73/2008	Operable Wall	Glazed	Semi-automatic	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-D	B3484.4	Vertically Rising	Solid/perforated	Fully automatic	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-E	B3504.Phase2.2	Vertically Rising	Solid	Fully automatic	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-F	P-BA 121/2007	Operable Wall	Solid	Semi-automatic	R _w 46dB to R _w 50dB
Style Door Systems	FIS-4650-S-G	P-BA 146/2016	Operable Wall	Solid	Full manual	R _w 46dB to R _w 50dB
Acoustic Wall System Ltd	FIS-4650-AW-A	ACL234/17	Operable wall	Solid	Semi-automatic	R _w 46dB to R _w 50dB
Acoustic Wall System Ltd	FIS-4650-AW-B	ACL195/17	Operable wall	Glazed	Semi-automatic	R _w 46dB to R _w 50dB
Accordial Ltd	FIS-5155-A-A	BTC 17619A	Operable Wall	Solid	Full manual	R _w 51 dB to R _w 55 dB
Accordial Ltd	FIS-5155-A-B	BTC 18280LC	Operable Wall	Solid	Semi-automatic	R _w 51 dB to R _w 55 dB
Accordial Ltd	FIS-5155-A-C	H18870AA	Operable Wall	Solid	Full manual	R _w 51 dB to R _w 55 dB
Hufcor UK	FIS-5155-H-A	P-BA 26/2004	Operable Wall	Solid	Full manual	R _w 51dB to R _w 55dB
Hufcor UK	FIS-5155-H-A	P-BA 24/2004	Operable Wall	Solid	Full manual	R _w 51dB to R _w 55dB
Style Door Systems	FIS-5155-S-A	RAL-TL01-280a	Vertically Rising	Solid	Fully automatic	R _w 51dB to R _w 55dB
Style Door Systems	FIS-5155-S-B	P-BA 136/2007	Operable Wall	Solid	Full manual	R _w 51dB to R _w 55dB
Style Door Systems	FIS-5155-S-C	B3484.14	Vertically Rising	Solid	Fully automatic	R _w 51dB to R _w 55dB
Style Door Systems	FIS-5155-S-D	P-BA 122/2007	Operable Wall	Solid	Semi-automatic	R _w 51dB to R _w 55dB

Style Door Systems	FIS-5155-S-E	P-BA 147/2004	Operable Wall	Solid	Full manual	R _w 51dB to R _w 55dB
Style Door Systems	FIS-5155-S-F	P-BA 147/2016	Operable Wall	Solid	Full manual	R _w 51dB to R _w 55dB
Acoustic Wall System Ltd	FIS-5155-AW-A	ACL228/17	Operable wall	Solid	Semi-automatic	R _w 51dB to R _w 55dB
Accordial Ltd	FIS-5660-A-A	BTC 17620A	Operable Wall	Solid	Full manual	R _w 56 dB to R _w 60 dB
Accordial Ltd	FIS-5660-A-B	BTC 18281LC	Operable Wall	Solid	Semi-automatic	R _w 56 dB to R _w 60 dB
Accordial Ltd	FIS-5660-A-C	BTC 181 39A	Operable Wall	Solid	Full manual	R _w 56 dB to R _w 60 dB
Hufcor UK	FIS-5660-H-A	PB 4.2/06-12	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-A	P-BA 132/2004	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-B	P-BA 129/2004	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-C	B3504.Phase3.2	Vertically Rising	Solid	Fully automatic	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-D	P-BA 136/2004	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-E	P-BA 148/2016	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB
Style Door Systems	FIS-5660-S-F	P-BA 149/2016	Operable Wall	Solid	Full manual	R _w 56dB to R _w 60dB